

BUILDING INSPECTIONS IN FINLAND - FIGHTING AGAINST THE MOULDS

Nordic Building Fysic Symbosium | 01.06.2011 | Juhani Pirinen, DSc.



Presentation today:


- 1. How big is the mould problem in Finland?
- 2. Moisture damages indoor air problems
- 3. A few words about microbes and health affects
- 4. Different approaches to estimate buildings
- 5. The health care point of view
- 6. Combined inspection method
- 7. Moisture and mould -programme





Mouldy buildings – a huge problem

- 1,1 million single family houses in Finland.
 - 25 % of the houses need repairing
- 56 000 block of flats
 - 6000-12000 need moisture damage-repairing
- In healthcare-branch there are about 8000 buildings
 - immediate repairs should be done in 25 %
- 9000 schools
 - immediate repairs should be done in 15 %.
- About 600 000 800 000 Finns are exposed to indoor air mould daily





Moisture damage – indoor air problems

- When moisture damages the building, it can cause indoor air problems like
 - mould growth
 - different chemical compounds from the building materials
- These can cause health problems for the inhabitants
- There are also many other physical and chemical phenomena that can cause same affects
 - airborne particles like mineral wool or asbestos fibres
 - radiation like radon
 - lack of ventilation, dirty incoming air systems etc.






Difficulties

- Separating all other phenomena from the microbial factors can be very difficult because they often operate in the indoor air simultaneously
- Many of the Finnish houses have a lot of problems at the same time
 - mould growth in structures
 - poor ventilation
 - radon
 - VOC, ammonium, aldehydes





Moisture damage - what is it?



Kosteusvauriokorj. laadunvarmistus 1999, TTKK

- There are many different types of moisture damages
- They focus on different parts of the building, and originate from different sources of moisture
- Typical sources of moisture are:
 - rain and snow
 - ground moisture
 - moisture produced inside
 - water-pipes
 - air humidity



Reasons for moisture damages

- Most of the damages are caused by the leaks of the roof or piping
- Almost as many are caused by the wet soil under the houses (the capillarity forces)
- Also bathrooms have had poor waterproofing
- Poorly ventilated crawl spaces and roofs
- Old structures in Finnish houses have been very unsafe against moisture
- These houses are now old
- Combine these two things you have a national mould problem




Mouldy buildings – why?

- Most of the Finnish houses were built in 1960s and 1970s, and should now be renovated the first time
- The renovations have delayed because:
 - the lack of the caretaking and renovating culture in real estate business
 - the owners have wrong opinions of the state of their buildings
 - Finns don't understand that buildings get old and must be rebuilt time to time





Problems in the base structures




Damage – problem ?

- All building damages don't cause health effects
 - Carbonation and freezing damages of concrete
 - Rusting
- A building damage is a more general word that includes all the damages
- Indoor air problem include all the symptoms and other sensitive problems caused by damages or lacks in systems





Microbe damage - what is it?




Matalaperustus, Rakennamme omakotitalon, Paraisten Kalkkivuori Oy, v. 1968

- Microbes exist everywhere in nature
- They are always present in the exterior envelope of a building
- It is very difficult to determine when the microbe growth begins to be a damage
- Some species of microbes are typical to moisturedamaged buildings but are not the majority in nature.
- These species are called moisture damage indicators.




Limits for Microbial growth



- In Finland limits have been set to how much growth of the majority species is permitted in the structures
- The limits and the moisture damage indicators are presented in the Asumisterveysohjeguideline (healthy residence-guideline) published in 2003 by the Ministry of Social Affairs and Health)



Microbes don't need much



Jatkuvasti käytössä olevan saunan rakenteet, RT 913.52, 1966

- Microbes need nutrients, warmth and moisture
- Some microbes are able to live in rather low temperatures
- This means that there is warm enough for them to grow in the envelope of any building.
- Most building materials contain nutrients suitable for microbes.



Hidden mould

- One third of the severe mould problems are hidden inside the structures with no visible signs (Pirinen J. 2006)
- In 2/3 houses in which people are having health affects a severe mould problem is found (Pirinen J. 2006)
- Hidden mould can rarely be found without dismantling the structures
- Hidden mould is usually found by the expertise of the inspector





Microbe damage – health affects




- In Finland we believe that microbe damages in buildings affect the health of the inhabitants
- Excessive moisture in the interior surfaces or inside structures usually causes, eventually, the kind of microbial growth, which have an effect on human health
- This is an widely studied fact, which has been clarified in many studies globally
- However, the mechanisms of the health effects caused by microbe damages are poorly understood



Typical Health Effects of moisture- and mould damages (Torikka, K.1999)

	Health effect	Permanence
1. Irritation effects	common cold, blocked	no permanent health effect
	nose	
	sore throat, hoarseness	
	cough, phlegm, difficulty i	n
	breathing	
	eye- and skin symptoms	
	general symptoms,	
	tiredness, headache,	
	dizziness, nausea and	
	concentration problems	
2. Increasing amount of	recurrent infections	diminishes after
infections	respiratory infections	termination of exposure
	inflammations of the ear of	r
	maxillary sinuses	
3. Hypersensitivity	allergy, usually rhinitis	may cause permanent
diseases	astma	health effects
0 <u>11</u>	alveol fittes JA HOME TALKOOT	



Two approaches to the building estimations

- The conservative one concentrates in building
 - the ageing of structures and materials, piping and ventilation systems
 - the costs of renovations
- The newer approach
 - the health affects for the inhabitants
 - the airborne particles and volatile compounds found in the air
- In Finland these two approaches have mixed together
- Very rare inspector can use both approaches correctly





Building inspection when selling or buying a house

- The method of the building inspection when selling or buying a house was first produced in 1999.
- The goal of this method was to standardise the building inspections performed when selling or buying a house and
- To offer reliable information to the seller and buyer about the true condition of the building.
- The building inspection is performed mainly by sensory and non-destructive methods.





The limits


- The scope of the inspection is set to the sensory level
- The report warns that the inspection does not necessarily expose the most severe damages
- If going trough the documents or visual inspection leads to any suspect of constructional risks, should the inspector recommend the use of deconstructional methods
- But the decision to open the structures or do more measurements is always done by the owner of the property





Destructive testing of a moisture- or mould-damaged building

- The destructive testing of a moisture- or mould-damaged building –guide:
 - By the Ministry of the Environment
 - An instruction on how to plan, perform and analyse the results of the destructive testing methods of houses with indoor air problems
- The planning of a test programme
 - collecting of basic information (documents, occupant-interviews)
 - a risk estimation based on the documents and sensory inspection
 - composing the test and measurement programmes






Good – bad ?

- The guide is filled with specialised knowledge of the comprehensive testing of moisture damages
- The reader must possess basic theoretical knowledge about construction physics
- Guide presents a thorough model how to inspect buildings moisture problems
- Some critics have been presented the method to be too expensive
- That refers maybe to the lack of understanding among the real estate managers?





Destructive testing method (1997, Min.env.)





Other methods

- Indoor air condition testing (Finland's heat, water and air association)
- The guide to a condition assessment of small houses (Hekkanen, Martti)
- The basic condition assessment of an apartment building (Finnish Real Estate Organisation)
- Moisture damage assessment (National Public Health Institute's Laboratory of Environment)





Questionnaires

- questionnaires have been used since 1990s to estimate indoor air problems
- The mostly used is the MM-40 questionnaire which is based on Swedish Örebro –model
- Finnish Institute of Occupational Health holds the rights to use this questionnaire in Finland and uses it a lot in surveys in working environments
- More specific symptom questionnaire is so called Tuohilampi -questionnaire, which was first published in 1996






Questionnaires-why?

- Questionnaires give a lot of information of the existence of indoor air problems
- They help to figure out the basis of the problem; whether it is mould or other microbes, lack of ventilation, VOCs or too high temperature
- Correctly used it can also show us in which parts of the building and what time of the year the symptoms occur
- the privacy law partly prevents its' use





The health care point of view 1/3



- The municipal board must ask the owner of the dwelling to renovate the health risk causing fact (Law of health care 1965)
- The mentioned pollutions or other problems were the lack of light or air, warmth or too much moisture, dirt, dust or vermin.
- The instructions for the health inspectors were published in 1980
- Parameters which can be measured were warmth, draught and air ventilation
- Committee for formaldehyde published limit values for formaldehyde in indoor air 1980
- In 1986 Government of Health together with Radiation Secure Center (STUK) published the limit values for radon in indoor air.



The health care point of view 2/3



- Law of health protection 1995:
- The Ministry of Social Affairs and Health can give specific orders regarding the physical, chemical and biological factors in dwellings
- The first collection of regulations and instructions was named Sisäilmaohje (Indoor airguideline) 1997
- It was replaced 2003 by Asumisterveysohje, Healthy dwelling-guideline, in which is included also many instruction and standards for instance of:
 - measuring moisture
 - detecting cigarette smoke
 - measuring mould and bacteria from air and surfaces and inside the structures




Anvisning om boendehälsa, is also found in swedish:

http://www.stm.fi/c/document_library/get_file?folderId =28707&name=DLFE-3897



The health care point of view 3/3




- The municipal health protection authorities must inspect inhabitants dwelling if the inhabitant suspects indoor air problem
- There don't need to be any mould growth in the dwelling, the condition for mould growth is enough
- Dwelling inspections are usually done my visual and no-destructive methods
- The municipal health protection authority can order the owner of the building to have the building inspected more thoroughly.



Problems on the field

- The two main approaches to buildings' indoor air problems and damages have mixed together
- Very rare experts can properly use all the tools which have been developed to the field of house inspections
- The owners of the buildings and the real estate managers are in deep trouble with these different guidelines and inspection methods
- New indoor air testing methods are coming to the market often untested and without any control






How to get better inspections?

- Combine the knowledge of the health sector and construction engineering sector
- Use the questionnaires to focus the inspections and tests
- Teach the house owners and real estate managers to use all reasonable methods
- Educate the inspectors:
 - Building physics
 - Old constructions
 - Microbiology
 - Other sources of impurities
 - Cooperation



Combined inspection method



The safety of the spaces/rooms, urgent renovations, long time plans

KOSTEUS- JA **HOME** TALKOOT



THE TARGET FOR THE PROGRAMME

- to diminish the health affects of the moulds
- to diminish the economical losses caused by the health affects of the inhabitants
- to prevent new mould problems to occur in future
- to make Finnish building stock healthy

YMPÄRISTOMINISTERIO MILJÖMIN STERIET MINISTRY OF THE ENV:RONMENT

Everything should be done a little better




Kuvat YM

Education - Design - Building - Use - Service - Repair



37



Tool 1.



Education of the inspectors and designers

Helmi Kokotti, University of Eastern Finland



Tool 2.

Developing the security in house trading

• Tiina Koskinen-Tammi

- Leena Laurila
- Antero Pentikäinen





Tool 3.



Reseach programme for mould toxins

Risto Aurola, HY, THL, TTL



Tool 4.

Governmental buildings

Jukka Riikonen Senaatti-kiinteistöt





6.9.2011 42

Tool 5.



Syncronising the guidelines N.N.



Tool 6.



Developing the knowledge and attitude of the owners- media campaign • N.N.



Got interested?

www.hometalkoot.fi

finnish swedish english



THANK YOU

